


RIM

Commander T

Relay Isolation Module

ENGINEERED FOR MOTION



Product Name RIM

Relay Isolation Module

Contact Information

MS SEDCO 8701 Castle Park Drive Indianapolis, IN 46256 Phone: (317) 842-2545 www.mssedco.com

Product Description

BASIC USE

The RIM is a relay isolation module that can be used in applications that could damage input or output connections on sensors, timing modules, or other low voltage devices. The relay on the RIM is rated to handle higher current that might be used for locks, alarms, or other electronic devices that exceed the ratings of standard relays.

- Terminal Block Simplifies Wiring
- Listing: UL Recognized Component

Technical Data

SPECIFICATIONS

Model

RIM

Primary Rated Input Voltage

24V AC/DC

Contact Current Rating 15A @ 24V DC/15A @ 110V AC Minimum Load

110mA @ 5V DC

Temperature

-13°F to 158°F (-25°C to 70°C) Weight

Approx. 0.5 lb.

Availability & Cost

AVAILABILITY

Available internationally from manufacturer's authorized distributors; contact MS SEDCO for the location of nearest distributor.

COST

Cost information on MS SEDCO products is available from the manufacturer's authorized distributor.s

Warranty

MS Sedco. Inc. guarantees this product to be free from manufacturing defects for one year from the date of installation. Unless MS Sedco is notified of the date of installation, the warranty will be in effect for one year from the date of shipment from our factory. If, during the first year, this product fails to operate and has not been tampered with or abused, the unit can be returned prepaid to the factory and be repaired free of charge. After one year, the unit will be repaired for a nominal service charge. Limited warranty is in lieu of all other warranties, expressed or implied, including any implied warrant ability of merchantability, no representative or person is authorized to assume for MS Sedco any other liability in connection with the sale of our products. All warranties are limited to the duration of this written limited warranty. In no

event shall MS Sedco be liable for any special, incidental, consequential, or other damage arising from any unclaimed breach of warranty as to its products or services.

Maintenance

MS SEDCO recommends that all maintenance and adjustments be performed by an AAADM Certified Technician.

Technical Services

MS SEDCO's staff of factory trained sales and service personnel offer design assistance and technical support. Local distributors are also available to assist in selecting appropriate devices for specific used and to provide onsite installation.

92015



Relay Isolation Module



ENGINEERED FOR MOTION

RIM Installation Diagram

